



343

-610-





TOP VIEW SIDE VIEW CONCRETE: 35 MPa @ 28 DAYS 5-8% AIR ENTRAINMENT IN ACCORDANCE WITH CSA A23.1 REINFORCING: IN ACCORDANCE WITH WITH CSA G30.18

100

610

DOCK WEIGHTS

DRAWN BY: DATE: AUG 2023

NOTES:

OTHERWISE STATED.

DO NOT SCALE

ALL DIMENSIONS IN MILLIMETERS UNLESS

AND ASSOCIATED WORKS ARE THE SOLE

OR APPROVED ALTERNATIVE. ALL RIGGING,

ACCORDANCE WITH DAYTON SUPERIOR MANUAL.

HOISTING, AND LIFTING TO BE IN STRICT

ANCHOR CONCRETE PRODUCTS LTD. ASSUMES NO

LIABILITY FOR ANY SITE CONDITIONS. ALL DETAILS RELATED TO STABILITY OF FOUNDING CONDITIONS, EXCAVATIONS DEWATERING, BACKFILL, GEOMETRY,

RESPONSIBILITY OF THE GENERAL CONTRACTOR AND OR OWNER. A QUALIFIED GEOTECHNICAL ENGINEER IS TO BE RETAINED TO ASSESS SITE CONDITIONS AND VERIFY FOUNDING CONDITIONS.

ALL LIFTING ANCHORS ARE TO BE DAYTON SUPERIOR

1645 SYDENHAM RD. KINGSTON, ON

> PHONE: (800) 223-0012 1-613-546-6683

WWW.ANCHORCONCRETE.COM